Attorney Docket No. Q75436

AMENDMENT UNDER 37 C.F.R. §1.116 U.S. Applin. No. 10/667,368

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## **LISTING OF CLAIMS:**

1. (currently amended): A light-emitting element which emits light itself, comprising:

a light-emitting portion having a higher refractive index than a refractive index of air; and

a diffraction grating structure provided to a light-emitting side surface of the light-emitting portion,

wherein a minimum light-emission value is equal to or less than 50% of a maximum light-emission value when white light is emitted from said light-emitting portion.

wherein said light-emitting portion includes light-emitting materials for at least two primary colors which emit the white light among light-emitting materials for three primary colors, and

wherein a light-emission ratio of the light-emitting materials for said at least two primary colors among the light-emitting materials for the three primary colors is adjusted to make the minimum light-emission value equal to or less than 50% of the maximum light-emission value when the white light is emitted from said light-emitting portion.

2. (original): The light-emitting element according to claim 1, further comprising:

Attorney Docket No. Q75436

AMENT UNDER 37 C.F.R. §1.116 U.S. Appln. No. 10/667,368

a color-separation filter provided between said light-emitting portion and said light-emitting side surface,

wherein a minimum value of a spectral product obtained from a light-emission waveform of the white light emitted from said light-emitting portion and a spectral transmittance of said color-separation filter is equal to or less than 50% of a maximum value thereof, whereby the minimum light-emission value is equal to or less than 50% of the maximum light-emission value when the white light is emitted from said light-emitting portion.

- 3. (original): The light-emitting element according to claim 2, wherein a color-separation filter which has minimum transmittance of equal to or less than 50% of maximum transmittance is used for said color-separation filter.
  - 4-5. (canceled).
- 6. (currently amended): The light-emitting element according to claim-4\_1, wherein said light-emitting portion includes the light-emitting materials for said three primary colors.
- 7. (currently amended): The light-emitting element according to claim-4\_1, wherein said light-emitting materials exhibit light emission by singlet exciton.

- 8. (original): The light-emitting element according to claim 2, wherein said light-emitting materials exhibit light emission by triplet exciton.
- 9. (original): The light-emitting element according to claim 1, wherein said diffraction grating structure has a pitch of a fine convex-concave structure being in a range of from 1  $\mu$ m to 4  $\mu$ m, and a depth of said fine convex-concave structure being in a range of from 0.4  $\mu$ m to 4  $\mu$ m.
- 10. (original): The light-emitting element according to claim 9, wherein a ratio of said depth to said pitch in said fine convex-concave structure ranges from 0.25 to 0.60.
- 11. (previously presented): The light-emitting element according to claim 1, wherein said light-emitting portion includes light-emitting materials for at least two primary colors emitting the white light among light-emitting materials for three primary colors.

12. (previously presented): The light-emitting element according to claim 1, further comprising:

a color-separation filter provided between said light-emitting portion and said light-emitting side surface,

wherein a minimum value of a spectral product obtained from a light-emission waveform of the white light emitted from said light-emitting portion and a spectral transmittance of said color-separation filter is approximately 7% of a maximum value thereof.